

Appl. No. 10/784,994
Second Supplemental Amendment February 1, 2006
Reply to Office Action of November 28, 2005

274.43167X00

Amendments to the Claims:

This listing of claims will replace all prior versions and listing of claims in the application.

Listing of Claims:

1-11. (Canceled)

12. (Currently Amended) A network storage virtualization method ~~according to claim 11~~ in a network storage system having a plurality of network storage devices, said method comprising:

allowing a client connected via a network to access the network storage devices as one virtual network storage system; and

permitting said client to access the network storage devices separate from said virtualized network storage system,

wherein a first network storage device includes a disk interface (I/F) which is connected to an apparatus having a function of forming said network storage devices as one virtual network storage device,

wherein a second network storage device includes a disk I/F which is connected to said apparatus having a function of forming said network storage devices as one virtual network storage device and a host I/F which is connectable to an external device so as to permit said external device to access the network storage devices separate from said apparatus having a function of forming said network

Appl. No. 10/784,994

274.43167X00

Second Supplemental Amendment February 1, 2006

Reply to Office Action of November 28, 2005

storage devices as one virtual network storage device,

wherein said external device is permitted to access a secondary volume which
is a copy of a primary volume and not permitted to access volumes other than said
secondary volume, and

further comprising the step of configuring access control of said secondary
volume from outside of said apparatus having a function of forming said network
storage devices as one virtual network storage device,

wherein said configuring step comprises the steps of:

creating a mirroring pair between said primary volume and said secondary
volume at a certain point in time by taking a complete initial copy of said primary
volume and storing said complete initial copy in said secondary volume;

receiving in said second storage device a suspend request;

placing the mirroring pair into a suspend status to permit setting of the access
control according to user selection;

if the user chooses a read only mode, setting said secondary volume to the
read only mode for input/output (I/O) requests from said external device and re-
synchronizing the mirroring pair; and

if the user chooses a read/write mode, setting said secondary volume to the
read/write mode for input/output (I/O) requests from said external device and re-
synchronizing the mirroring pair.

Best Available Copy

Appl. No. 10/784,994

274.43167X00

Second Supplemental Amendment February 1, 2006

Reply to Office Action of November 28, 2005

13. (Original) A network storage virtualization method according to claim 12, wherein when said secondary volume is set to the read only mode access to said secondary volume is performed according to the steps of:

suspending synchronization of the mirroring pair including said primary volume and said secondary volume;

permitting access to data on said secondary volume in response to an I/O request via the host I/F; and

upon completion of said access, re-synchronizing the mirroring pair.

14. (Original) A network storage virtualization method according to claim 12, wherein when said secondary volume is set to the read/write mode access to said secondary volume is performed according to the steps of:

suspending synchronization of the mirroring pair including said primary volume and said secondary volume;

permitting access to data on said secondary volume in response to an I/O request via the host I/F; and

upon completion of said access, re-synchronizing the mirroring pair.

15-25. (Canceled)

26. (Currently Amended) A storage system ~~according to claim 25, comprising:~~

Appl. No. 10/784,994

274.43167X00

Second Supplemental Amendment February 1, 2006

Reply to Office Action of November 28, 2005

a first network storage device which includes a primary volume;

a second network storage device which includes a secondary volume which is
a copied volume of the primary volume and volumes other than the secondary
volume; and

a virtualization apparatus, which is connected to each of said first and second
network storage devices, and allows a client connected via a network to access the
network storage devices as one virtual network storage system wherein said client is
permitted to access the network storage devices separate from said virtualization
apparatus.

wherein said first network storage device includes a disk interface (I/F) which
is connected to virtualization apparatus.

wherein a second network storage device includes a disk I/F which is
connected to said virtualization apparatus and a host I/F which is connectable to an
external device so as to permit said external device to access the network storage
devices separate from said virtualization apparatus.

wherein said external device is permitted to access said secondary volume
which is a copy of said primary volume and not permitted to access said volumes
other than said secondary volume.

wherein access control of said secondary volume is configured from outside of
said virtualization apparatus, and

wherein said access control of said secondary volume is configured by

Appl. No. 10/784,994

274.43167X00

Second Supplemental Amendment February 1, 2006

Reply to Office Action of November 28, 2005

creating a mirroring pair between said primary volume and said secondary volume at a certain point in time by taking a complete initial copy of said primary volume and storing said complete initial copy in said secondary volume, receiving in said second storage device a suspend request, placing the mirroring pair into a suspend status to permit setting of the access control according to user selection, if the user chooses a read only mode, setting said secondary volume to the read only mode for input/output (I/O) requests from said external device and resynchronizing the mirroring pair, and if the user chooses a read/write mode, setting said secondary volume the read/write mode for input/output (I/O) requests from said external device and re-synchronizing the mirroring pair.

27. (Original) A storage system according to claim 26, wherein when said secondary volume is set to the read only mode access to said secondary volume is performed by suspending synchronization of the mirroring pair including said primary volume and said secondary volume, permitting access to data on said secondary volume in response to an I/O request via the host I/F, and upon completion of said access, re-synchronizing the mirroring pair.

28. (Currently Amended) A storage system according to claim 26 wherein when said secondary volume is set to the read/write mode access to said secondary volume is performed by suspending synchronization of the mirroring pair including

Appl. No. 10/784,994

274.43167X00

Second Supplemental Amendment February 1, 2006

Reply to Office Action of November 28, 2005

said primary volume and said secondary volume, permitting access to data on said secondary volume in response to an I/O request via the host I/F, and upon completion of said access, re-synchronizing the mirroring pair.

Best Available Copy